Control Unit Accessories, System

COMPANY
Simplex Time Recorder Co
6 TECHNOLOGY PARK DR
WESTFORD, MA 01886 United States

S771

View model for additional information

4006-9122
4006-9806
4008-9121
4008-9122
4008-9801
AT&T 4G Gateway Module, *4010-2500*
AT&T 4G Gateway Module, *4100-2500*
AT&T Cellular Module, *4007-2504*
AT&T Cellular Module, *4010-2504*
AT&T Cellular Module, *4100-2504*
Cellular Module, *4007-6401*
City circuit modules (CCM), *4006-9805*
Class A adapters (CLA), *4006-9804*
Enclosure trim bands, *2975-9813*
Expansion initiationg device circuits (XIM), *4006-9802*
Expansion power supplies (EPS), *4006-9121*
Expansion power supplies (EPS), *4006-9801*
External Main Handheld Microphone, "4017ES", *XMIC-XFP*
External Main Handheld Microphone, "4017ES", *XMIC-XFR*
External Main Handheld Microphone, "4017ES", *XMIC-XWP*
External Main Handheld Microphone, "4017ES", *XMIC-XWR*
Fire Alarm and Security Equipment: Simplex Incident Manager, *4195-8403*
Fire Alarm and Security Equipment: Simplex Incident Manager, *4195-8405*
IP communicator, *4007-9818*
IP communicator, *4010-9931*
IP communicator, *4100-6105*
IP communicator, *4100-6107*
LED Indicator, *4090-9812*
Master Telephone, *4100-1270*
Monitors, 120 V 60 Hz, 2.2A, *4190-7131*
Overvoltage protectors, *2081-9044*
Relay modules, *4006-9803*
Remote Amplifier, "4017ES", *S4017-RAMP-NP*
Remote Amplifier, "4017ES", *S4017-RAMP-NR*
Remote IDNAC Amplifier, "4017ES", *S4017-RAMP-AP*
Remote IDNAC Amplifier, "4017ES", *S4017-RAMP-AR*
Remote Interface, "4017ES", *SRAUD-DFP*
Remote Interface, "4017ES", *SRAUD-DFR*

Remote Interface, "4017ES", *SRAUD-DWP*
Remote Interface, "4017ES", *SRAUD-DWR*
Remote LCD annunciators, 24 V dc, 100 mA, *2081-9046*
Remote Microphone and LED Switches, "4017ES", *SRAUD-SFP*
Remote Microphone and LED Switches, "4017ES", *SRAUD-SFR*
Remote Microphone and LED Switches, "4017ES", *SRAUD-SWP*
Remote Microphone and LED Switches, "4017ES", *SRAUD-SWR*
Subassembly, *4007-2501*
Subassembly, *4007-6416*
Subassembly, *4007-6417*
Subassembly, *4010-2501*
Subassembly, *4010-6416*
Subassembly, *4010-6417*
Subassembly, *4100-2501*
Subassembly, *4100-6416*
Subassembly, *4100-6417*
Subassembly, 33AH Battery Cabinet, *BATBOX-33XP*
Subassembly, 33AH Battery Cabinet, *BATBOX-33XR*
Subassembly, 50W Expansion Amplifier, *S4017-AMP50W*
Subassembly, Battery and Power Module, *S4017-PWRMOD*
Subassembly, Class A Adapter Option Card, *4009-9812*
Subassembly, NAC Expander, *S4017-NACEXP*
TrueAlert Isolator Module, *4905-9929*
Workstation, *4190-8403*
Workstation, *4190-8405*

Investigated to UL 864 (10th edition)

24 Zone led modules, *4007-9805*
25 V regulator modules, *4007-9802*
8 Amp Relay IAM modules, 30VDC, 1 mA, *4090-9010*
Alarm relay modules, *4007-9809*
All-in-one Computers, *4190-7036()*
All-in-one Computers, *4190-7037()*
All-in-one Computers, *4190-7039()*
All-in-one Computers, *4190-7041()*
All-in-one Computers, *4190-7043()*
All-in-one Computers, 24 V dc, 2A, *4190-7038(%(()*
Annunciators, *4100-8401*
Annunciators, *4100-8402*
Annunciators, "TrueSite", *4190-8401*
Annunciators, "TrueSite", *4190-8404*
Annunciators, "TrueSite", *4190-8406*
Annunciators, "TrueSite", *4190-8407*
Battery cabinets, *2081-9270*
Battery cabinets, *2081-9280*
Battery cabinets, *2081-9281*
Battery cabinets, *2081-9282*
City circuit modules without disconnect switches, *4007-9807*
City circuit modules without disconnect switches, *4007-9808*
Class A monitor zone adapter modules, *2190-9159*
Class A monitor zone adapter modules, *2190-9160*
Class B monitor zone adapter modules, *2190-9161*

Class B monitor zone adapter modules, *2190-9162*
Control unit accessories, *Models 4090-5260 Monitor ZAM*
Dual Input IAM, *Model 4090-5256, 4090-5261*
Dual RS232 modules, *4007-9812*
Electronically Activated Sprinkler System, *4100-9707AR*
Enclosure, *2975-9237*
Enclosure, *2975-9238*
Enclosure, *4602-1479*
Enclosure, *4602-1480*
Enclosure, *4602-1484*
Enclosure, *4602-1485*
End-of-line resistors, *A163819W6P*
Equipment, *4007-9102*
Equipment, *4007-9201*
Equipment, *4007-9202*
ESMX Loop Card, *4010-6311*
ESMX Loop Card, *4100-6311*
ESMX Option Card, *4010-6312*
ESMX Option Card, *4100-6312*
Fiber Media Card, *4007-6301, 4010-6301, 4100-6301, 4190-6301, 4007-6302, 4010-6302, 4100-6302, 4190-6302*
Fiber Media Card, *4007-6303, 4010-6303, 4100-6303, 4190-6303, 4007-6304, 4010-6304, 4100-6304, 4190-6304*
Fiber Optic Modem, *4190-9035*
Fiber Optic Modem, *4190-9036*
Fiber Optic Modem, *4190-9037*
Fiber Optic Modem, *4190-9038*
Fiber Optic Modem, *4190-9039*
Fiber Optic Modem, *4190-9040*
Fiber-optic media modules, *4007-9814*
Fire Alarm Subassemblies, *4100-0117*
Fire Alarm Subassemblies, *4100-0142*
Fire Alarm Subassemblies, *4100-0144*
Fire Alarm Subassemblies, *4100-0156*
Fire Alarm Subassemblies, *4100-0201*
Fire Alarm Subassemblies, *4100-0202*
Fire Alarm Subassemblies, *4100-0203*
Fire Alarm Subassemblies, *4100-0207*
Fire Alarm Subassemblies, *4100-0213*
Fire Alarm Subassemblies, *4100-0217*
Fire Alarm Subassemblies, *4100-0651*
Fire Alarm Subassemblies, *4100-1203*
Fire Alarm Subassemblies, *4100-1290*
Fire Alarm Subassemblies, *4100-1291*
Fire Alarm Subassemblies, *4100-1292*
Fire Alarm Subassemblies, *4100-1293*
Fire Alarm Subassemblies, *4100-3102*
Fire Alarm Subassemblies, *4100-3103*
Fire Alarm Subassemblies, *4100-3202*
Fire Alarm Subassemblies, *4100-4001*
Fire Alarm Subassemblies, *4100-4011*
Fire Alarm Subassemblies, *4100-4201, 4100-4202*
Fire Alarm Subassemblies, *4100-4203, 4100-4204*
Fire Alarm Subassemblies, *4100-4205*

Fire Alarm Subassemblies, *4100-4206*
Fire Alarm Subassemblies, *4100-4321*
Fire Alarm Subassemblies, *4100-4331*
Fire Alarm Subassemblies, *4100-5005*
Fire Alarm Subassemblies, *4100-5015*
Fire Alarm Subassemblies, *4100-5152*
Fire Alarm Subassemblies, *4100-6014*
Fire Alarm Subassemblies, *4100-6036*
Fire Alarm Subassemblies, *4100-6037*
Fire Alarm Subassemblies, *4100-6045*
Fire Alarm Subassemblies, *4100-6046*
Fire Alarm Subassemblies, *4100-6048*
Fire Alarm Subassemblies, *4100-6052*
Fire Alarm Subassemblies, *4100-6052, 4100-6053*
Fire Alarm Subassemblies, *4100-6055*
Fire Alarm Subassemblies, *4100-6056*
Fire Alarm Subassemblies, *4100-6057*
Fire Alarm Subassemblies, *4100-6061*
Fire Alarm Subassemblies, *4100-6078*
Fire Alarm Subassemblies, *4100-6101*
Fire Alarm Subassemblies, *4100-6102*
Fire Alarm Subassemblies, *4100-8019*
Flat network card interfaces, *4007-9810*
Four-wire detector zone adapter modules, *2190-9157*
Four-wire detector zone adapter modules, *2190-9158*
IDNAC Isolator2, *4905-9849*
IDNet loop modules, *4007-9803*
Mini Individual Addressable Module, *Models 4090-5255, 4090-5258*
Monitor, *4195-7114*
Monitor, *4195-7132*
Monitor, *4195-7214*
Monitor, *4195-7235*
Monitor ZAM, *4090-5260*
Monitors, *4190-7132()*
Monitors, *4190-7235()*
Monitors, 120V 60 Hz, 2.5A, *4190-7114()*
Monitors, 120V 60 Hz, 2.5A, *4190-7214()*
Network display units, *4100-9141*
Network display units, *4100-9146*
Network display units, *4100-9151*
Network display units, *4100-9157, 4100-9158, 4100-9159, 4100-9160, 4100-9161, 4100-9162, 4100-9163, 4100-9164, 4100-9165, 4100-9168, 4100-9169*
Network display units, *4100-9170, 4100-9248, 4100-9249, 4100-9250, 4100-9251, 4100-9252, 4100-9253, 4100-9357, 4100-9358, 4100-9359, 4100-9545*
Network display units, *4100-9241*
Network display units, *4100-9246*
Network display units, *4100-9342*
Network display units, *4100-9352*
Network display units, *4100-9355*
Network display units, *4100-9542*
Relay IAM, *Models 4090-5257, 4090-5259*
Relay IAM modules with unsupervised feedback, *4090-9119*

Relay IAM modules, 30 VDC Nominal, 1 mA, *4090-9008*
Relay IAM modules, 30 VDC Nominal, 1 mA, *4090-9118*
Relay IAM, 28 V dc, 2.2 mA, *4090-9002*
Remote annunciators, *4100-9616*
Remote annunciators, *4100-9617*
Remote display assembly, *4100-9404*
Remote display assembly, *4100-9405*
Remote LCD annunciators, *2606-9101*
Remote LED annunciators, *2606-9111*
Remote printers, *4190-9027*
Remote Supervised Client, "TrueSite", *4190-8410*
Remote Supervised Client, "TrueSite", *4190-8411*
Signal individual adapter modules (Signal IAM), *CN-4090-9007*
Signal individual adapter modules (Signal IAM), 35Vdc, 2.2mA, *4090-9007*
Simplex Incident Manager, *4195-7036*
Simplex Incident Manager, *4195-7037*
Simplex Incident Manager, *4195-8401*
Simplex Incident Manager, *4195-8404*
Simplex Incident Manager, *4195-8410*
Simplex Incident Manager, *4195-8411*
Subassemblies, Network Media Cards, *4007-6306, 4007-6307, 4007-6308, 4007-6309, 4007-9817*
Subassemblies, Network Media Cards, *4100-6104*
Subassemblies, Network Media Cards, *4100-6306*
Subassemblies, Network Media Cards, *4100-6307*
Subassemblies, Network Media Cards, *4100-6308*
Subassemblies, Network Media Cards, *4100-6309*
Subassemblies, Network Media Cards, *4100-6310*
Subassembly, *4100-3113*
Subassembly, *4100-3113AR*
Subassembly, *4100-3114*
Subassembly - LED / Switch Controller Module, *4100-1449*
Subassembly, 1 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF>Platinum, *2975-9444AR*
Subassembly, 2 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF>Platinum, *2975-9445AR*
Subassembly, 3 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF>Platinum, *2975-9446AR*
Subassembly, Auxiliary Relay Module, *4100-3207, 4100-3209*
Subassembly, Auxiliary Relay Module, *4100-3208*
Subassembly, Enclosure backbox, *2975-9239*
Subassembly, LED/Switch Controller, *4100-1450*
Subassembly, LED/Switch Controller, *4602-1451*
Subassembly, LED/Switch Modules, *4007-9820*
Subassembly, LED/Switch Modules, *4007-9821*
Subassembly, LED/Switch Modules, *4100-1459*
Subassembly, LED/Switch Modules, *4100-1460*
Subassembly, LED/Switch Modules, *4100-1461*
Subassembly, LED/Switch Modules, *4100-1462*
Subassembly, LED/Switch Modules, *4100-1463*
Subassembly, LED/Switch Modules, *4100-1464*
Subassembly, LED/Switch Modules, *4602-1457*
Subassembly, Mini-IAM Bracket, *Model 4090-9810*
Supervised individual addressable modules (IAM), 28 V dc, 2.2 mA, *4090-9001*
Supervised individual addressable modules (IAM), 28 V dc, 2.2 mA, *4090-9051*
Supervising Station, *4007-9101*

Termination harness, *4081-9023*
Two Slot 32 LED Non-Configurable Module with Enclosure, *4602-1478*
Two Slot 32 LED Non-Configurable Module with Enclosure, *4602-1483*
Wired media modules, *4007-9813*
Zone/relay modules, *4007-9801*

Investigated to UL 864 (10th edition),

Enclosure backboxes, *2975-9234*
Enclosure backboxes, *2975-9235*
Enclosure backboxes, *2975-9236*

Investigated to UL 864 (10th edition), ULC S527

Extender Plus, *4009-9701*
Extender Plus, *4009-9702*
Extender Plus, *4009-9703*
Extender Plus, *4009-9704*
IDNAC Extender, *4009-9705*
IDNAC Extender, *4009-9706*
Subassembly, Backup Amplifier Harness, *4017-HAR-BAMP*

Investigated to UL 864 (9th edition)

6-Point I/O modules, *4090-9120*
Abort supervision modules, *2081-9048*
Abort switches, *2080-9056*
Abort switches, *2080-9057*
Abort switches, *2080-9067*
Abort switches, *2080-9068*
Adapter plates, *4090-9813*
Addressable Controller, *4009-9401*
Addressable IDNet 2 modules, *4100-3109*
Addressable IDNet 2 modules, *A100-3109*
Addressable IDNet 2+2 cards, *4010-9929*
Addressable IDNet 2+2 cards, *4100-3110*
Addressable IDNet 2+2 cards, *A010-9929*
Addressable IDNet 2+2 cards, *A100-3110*
Addressable IDNET isolator, for use only with model 4100U FACP, *IDNet1*
Addressable IDNET Isolator2, *4090-9122*
Addressable IDNET isolators, *4090-9116*
Addressable power isolators, *4090-9117*
Annunciators, *4602-8001*
Annunciators, *4602-8101*
Annunciators, *4602-8103*
Annunciators, *4602-9101*
Annunciators, *4602-9102*
Audio Isolation Harness, *734-231*
Audio Isolation Module, *743-302*
Battery cabinets, *4009-9801*
Cellular TrueInsight remote service gateway, 24 VDC, 100 mA, *4190-6107*
Class A adapters (CLA), *4009-9814*
Class A isolation modules, *4010-9930*

Class A isolation modules, *4100-6103*
Class A monitor ZAM, 24 V dc, 80 mA, *4090-9106*
Class A monitor ZAM, 24 V dc, 80 mA, *4090-9106TSP*
Class A monitor zone adapter modules, *2190-9153*
Class A monitor zone adapter modules, *2190-9154*
Class B monitor modules, *CN-4090-9101*
Class B monitor ZAM, 24 V dc, 80 mA, *4090-9101*
Class B monitor ZAM, 24 V dc, 80 mA, *4090-9101TSP*
Class B monitor zone adapter modules, *2190-9155*
Class B monitor zone adapter modules, *2190-9156*
Commfone upgrade kits, *2084-9030*
Commfone upgrade kits, *2084-9031*
Commfone upgrade kits, *2084-9032*
Computers, 120 V 60 Hz, 2A, *4190-7011(), 4190-7012()*
Computers, 120 V 60 Hz, 6A, *4190-7017, 4190-7018, 4190-7019*
Control unit accessories, *2084-9001*
Control unit accessories, *2084-9002*
Control unit accessories, *2084-9003*
Control unit accessories, *2084-9004*
Control unit accessories, *2084-9005*
Control unit accessories, *2084-9006*
Control unit accessories, *2084-9007*
Control unit accessories, *2084-9008*
Control unit accessories, *2084-9009*
Control unit accessories, *2084-9014*
Control unit accessories, *2084-9017*
Control unit accessories, *2084-9018*
Control unit accessories, *2084-9020*
Control unit accessories, *2084-9023*
Control unit accessories, *2084-9024*
Controllers, *4601-9108*
Controllers, *4601-9109*
Controllers, *4601-9110*
Controllers, *4601-9111*
CPU and user interfaces, *0566-1023*
DACT, *4100-6080*
Dual Class A isolator modules, *4007-9804*
Dual Input IAM, *4090-5202*
Enclosure backboxes, *2975-9190*
Enclosure backboxes, *2975-9191*
Enclosure backboxes, *2975-9192*
Enclosure backboxes, *2975-9193*
Enclosure backboxes, *2975-9194*
Enclosure backboxes, *2975-9195*
Enclosure backboxes, *2975-9408*
Enclosure backboxes, *2975-9409*
Enclosure backboxes, *2975-9411*
Enclosure backboxes, *2975-9412*
Enclosure backboxes, *2975-9461*
Enclosure backboxes, *2975-9462*
Enclosure backboxes, *2975-9463*
Enclosure backboxes, *2975-9464*

Enclosure doors, *4100-2112*
Enclosure doors, *4100-2113*
Enclosure doors, *4100-2114*
Enclosure doors, *4100-2115*
Enclosure doors, *4100-2116*
Enclosure doors, *4100-2117*
Enclosure doors, *4100-2118*
Enclosure doors, *4100-2119*
Enclosure doors, *4100-2132*
Enclosure doors, *4100-2133*
Enclosure doors and retainer, *4100-2001 (w/ 4100-2201 color option)*
Enclosure doors and retainer, *4100-2002 (w/ 4100-2201 color option)*
Enclosure doors and retainer, *4100-2003 (w/ 4100-2201 color option)*
Enclosure doors and retainer, *4100-2102*
Enclosure doors and retainer, *4100-2103*
Enclosure doors and retainer, *4100-2122*
Enclosure doors and retainer, *4100-2123*
Enclosure trim bands, *2975-9811*
Enclosure trim bands, *2975-9812*
Enclosures, *2975-9053*
Enclosures, *2975-9209*
Enclosures, *2975-9210*
Enclosures, *2975-9214*
Enclosures, *2975-9215*
Enclosures, *2975-9227*
Enclosures, *2975-9229*
Enclosures, *2975-9230*
Enclosures, *2975-9407*
Enclosures, *2975-9410*
Enclosures, *2975-9421*
Enclosures, *2975-9422*
Enclosures, *2975-9423*
Enclosures, *2975-9424*
Enclosures, *2975-9425*
Enclosures, *2975-9426*
Enclosures, *2975-9427*
Enclosures, *2975-9428*
Enclosures, *2975-9429*
Enclosures, *2975-9430*
Enclosures, *2975-9431*
Enclosures, *2975-9432*
Enclosures, *4010-9857*
Enclosures, *4010-9858*
Enclosures, *4100-2001*
Enclosures, *4100-2002*
Enclosures, *4100-2003*
Enclosures, *4100-2011*
Enclosures, *4100-2012*
Enclosures, *4100-2013*
Enclosures, *4100-2101*
Enclosures, *4100-2111*
Enclosures, *4100-2121*

Enclosures, *4100-2131*
Enclosures, *4100-2201*
Enclosures, *4190-9810*
End-of-line relays, *2098-9736*
End-of-line resistors, *4081-9020*
End-of-line resistors, *4081-9021*
End-of-line resistors, *4081-9022*
End-of-line resistors, *733-886*
End-of-line resistors, *733-890*
End-of-line resistors, *733-891*
End-of-line resistors, *733-892*
End-of-line resistors, *733-893*
End-of-line resistors, *733-894*
End-of-line resistors, *733-896*
End-of-line resistors, *733-912*
End-of-line resistors, *733-973*
End-of-line resistors, *733-974*
End-of-line resistors, *733-984*
End-of-line resistors, *733-985*
End-of-line resistors, *734-035*
End-of-line resistors, *734-086*
End-of-line resistors, *734-092*
End-of-line resistors, *734-093*
End-of-line resistors, *734-149*
End-of-line resistors, *734-168*
End-of-line resistors, *734-171*
End-of-line resistors, *734-204*
End-of-line resistors, *734-215*
End-of-line resistors, *734-217*
End-of-line resistors, *734-341*
Ethernet switches, 24 Vdc, 190 mA, *4190-6050*
Ethernet switches, 24 Vdc, 190 mA, *4190-6051*
Ethernet switches, 24 Vdc, 190 mA, *4190-6054*
Ethernet switches, 24 Vdc, 190 mA, *4190-6055*
External Battery Chargers, *4081-9306*
External Battery Chargers, *4081-9308*
Fiber optic transmitters, *4090-9105*
Fiber optic transmitters, *4090-9107*
Fiber receivers, *4009-9810*
Fiber receivers, *4009-9811*
Fire Alarm and Emergency Signaling Equipment, Network System Integrator (NSI), *4190-9836*
Fire Alarm and Emergency Signaling Equipment, Network System Integrator (NSI), *4190-9837*
Fire Alarm and Emergency Signaling Equipment, Network System Integrator (NSI), *4190-9838*
Fire Alarm and Emergency Signaling Equipment, Network System Integrator (NSI), *4190-9839*
Fire Alarm and Emergency Signaling Subassembly, ES Network Interface Card, *0650-2430*
Fire Alarm and Emergency Signaling Subassembly, Flat Network Card Interface, *0650-2429*
Fire Alarm and Emergency Signaling Subassembly, NAC Power Supply, *0650-1244*
Fire Alarm and Emergency Signaling Subassembly, Zone Relay Module, *0650-1245*
IDNAC Power supplies, only for 4007-9201 and 4007-9202, *0566-989*
IDNAC repeaters, *4009-9601*
IDNAC repeaters, *4009-9601 BA*
IDNAC repeaters, *4009-9602*

IDNAC repeaters, *4009-9602 BA*
IDNet loop daughter cards, 24 VDC, 350 mA, *4100-3111*
IDNET Repeater, *4009-9809*
Inline fused wiring harness, *733-731*
Input/ output modules, *4090-5250*
Input/output boards, *4605-8401*
Input/output boards, *4605-8402*
Isolator modules, *2190-9169*
Isolator modules, *2190-9170*
Isolator modules, 24V dc, 15mA, *4905-9929*
LCD annunciators, for use with listed central station protected premises units, 24 VDC, 104 mA, *4603-9101(CF)*
LCD annunciators, for use with listed central station protected premises units, 24 VDC, 104 mA, *4606-9201, 4606-9202, 4606-9203, 4606-9204, 4606-9205, 4606-9206, 4606-9202AR*
LED indicator, *4090 9812*
Line Isolators, *4090-5206*
Maintenance switches, *2080-9069*
Maintenance switches, *2080-9070*
Maintenance Switches with Lamp, *2080-9059*
Maintenance Switches with Lamp, *2080-9060*
Mini Individual Addressable Module, *4090-5201 (Mini IAM)*
Monitors ZAM, *4090-5205*
NAC power extenders, *4009-9101*
NAC power extenders, *4009-9102*
NAC power supplies, only for 4007-9101 and 4007-9102, *0566-1030*
Network display units, *4100-9142*
Network display units, *4100-9143*
Network display units, *4100-9144*
Network display units, *4100-9145*
Network display units, *4100-9152*
Network display units, *4100-9242*
Network display units, *4100-9243*
Network display units, *4100-9244*
Network display units, *4100-9245*
Notification appliance circuit power extenders, *4009-9201*
Notification appliance circuit power extenders, *4009-9301*
Notification appliance circuit power extenders, *4009TPS*
Optional Equipment for 4010ES, *4010-9901, 4010-9902, 4010-9903, 4010-9904, 4010-9907, 4010-9908, 4010-9909*
Optional Equipment for 4010ES, *4010-9910, 4010-9911, 4010-9913, 4010-9914, 4010-9916, 4010-9917, 4010-9918, 4010-9919, 4010-9920, 4010-9921*
Overvoltage protectors, *2081-9044*
PC annunciators, for use only with model 4100U FACP, *4190-8201+*
Power supplies, 120VAC, 50/60Hz, 4.6A, *4100-5311*
Power supplies, 120VAC, 50/60Hz, 4.6A, *4100-5325*
Power supplies, 120VAC, 50/60Hz, 4.6A, *A100-5311*
Power supplies, 240Vac, 50/60 Hz, 2.3A, *4100-5313*
Power supplies, 240Vac, 50/60 Hz, 2.3A, *4100-5327*
Power supplies, 240Vac, 50/60 Hz, 2.3A, *A100-5313*
Rack mount kits, *4100-2140*
Rack mount kits, *4100-2144*
Rack mount kits, *4100-2145*
Redundant server switchboxes, *Redundant Server Switchbox*
Relay IAM, *4090-5203*

Relay IAM, 28 V dc, 2.2 mA, *4090-9002TSP*
Remote annunciators, *4100-8028*
Remote annunciators, *4100-9608*
Remote annunciators, *4100-9609*
Remote annunciators, *4100-9610*
Remote annunciators, *4100-9611*
Remote annunciators, *4100-9613*
Remote annunciators, *4100-9614*
Remote annunciators, *4100-9615*
Remote annunciators, 24 Vdc, 214mA, *4100-9607*
Remote annunciators, 24 Vdc, 214mA, *4100-9612*
Remote LCD annunciators, *4606-9102(CF)*
Remote LCD annunciators, 24 V dc, 100 mA, *4606-9101*
Remote LCD annunciators, 24Vdc, 70mA, *4610-9111*
Remote microphones, *4003-9803*
Remote microphones, *4100-1244*
Remote phones, *4100-1271*
Remote user interfaces, *4100-9403*
Remote user interfaces, *4100-9421*
Remote user interfaces, *4100-9423*
Remote user interfaces, *4100-9443*
Remote user interfaces, for use only with model 4100U FACP, *RUI*
Remote user interfaces, RUI+ remote annunciators, *4100-9401*
Remote user interfaces, RUI+ remote annunciators, *4100-9402*
Remote user interfaces, RUI+ remote annunciators, *4100-9441*
Retro-fit door kits, *4100-9901*
Retro-fit door kits, *4100-9902*
Retro-fit door kits, *4100-9903*
Retro-fit door kits, *4100-9904*
Retro-fit door kits, *4100-9905*
Retro-fit door kits, *4100-9906*
Retro-fit door kits, *4100-9907*
Retro-fit door kits, *4100-9908*
Retro-fit door kits, *4100-9909*
Retro-fit door kits, *4100-9910*
Retro-fit door kits, *4100-9911*
Retro-fit door kits, *4100-9912*
Retro-fit door kits, *4100-9913*
Retro-fit door kits, *4100-9914*
Retro-fit door kits, *4100-9915*
Retro-fit door kits, *4100-9916*
Retro-fit door kits, *4100-9917*
Retro-fit door kits, *4100-9918*
Retro-fit door kits, *4100-9919*
Retro-fit door kits, *4100-9920*
Retro-fit door kits, *4100-9921*
Retro-fit door kits, *4100-9922*
Retro-fit door kits, *4100-9923*
Retro-fit door kits, *4100-9924*
Retro-fit door kits, *4100-9925*
Retro-fit door kits, *4100-9926*
Retro-fit door kits, *4100-9930*

Retro-fit door kits, *4100-9931*
Retro-fit door kits, *4100-9932*
Retro-fit door kits, *4100-9933*
Retro-fit door kits, *4100-9934*
Retro-fit door kits, *4100-9935*
Retro-fit door kits, *4100-9936*
Retro-fit door kits, *4100-9937*
Retro-fit door kits, *4100-9938*
Retro-fit door kits, *4100-9939*
Retro-fit kits, for 4100U F.A.C.U installed in a 2001 Series Enclosure, *4100-9901, 4100-9902, 4100-9903, 4100-9904, 4100-9905, 4100-9906, 4100-9907, 4100-9908, 4100-9909, 4100-9910, 4100-9911, 4100-9912, 4100-9913*
Retro-fit kits, for 4100U F.A.C.U installed in a 2001 Series Enclosure, *4100-9914, 4100-9915, 4100-9916, 4100-9917, 4100-9918, 4100-9919, 4100-9920, 4100-9921, 4100-9922, 4100-9923, 4100-9924, 4100-9925, 4100-9926*
Retro-fit kits, for model 8099-512 thru 8099-516 Autocall backboxes, *4100-9930, 4100-9931, 4100-9932, 4100-9933, 4100-9934, 4100-9935, 4100-9936, 4100-9937, 4100-9938, 4100-9939*
RS 232 communications modules, *4100-6046*
SDACT modules, *4007-9806*
Signal IAM, *4090-5204*
SmartSync adapter modules, *4905-9815*
Sprinkler supervisory resistor modules, *2081-9031*
Subassembly, 1 Bay Back Box, Plastic Door (Solid) & Dress Panel <U+00BF> Platinum, *2975-9450*
Subassembly, 2 Bay Back Box, Plastic Door (Solid) & Dress Panel <U+00BF> Platinum, *2975-9451*
Subassembly, 3 Bay Back Box, Plastic Door (Solid) & Dress Panel <U+00BF> Platinum, *2975-9452*
Subassembly, Multimode Left Port Fiber Optic Modem, *4100-6074*
Subassembly, Single Mode Left Port Fiber Optic Modem, *4100-6072*
Subassembly, Single Mode Right Port Fiber Optic Modem, *4100-6073*
Subassembly, 1 Bay Back Box - Platinum, *2975-9438*
Subassembly, 1 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF> Red, *2975-9441*
Subassembly, 1 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF>Platinum, *2975-9444*
Subassembly, 1 Bay Back Box, Plastic Door (Solid) & Dress Panels<U+00BF> Red, *2975-9447*
Subassembly, 1 Bay Plastic Door (Glass) & Dress Panel <U+00BF> Platinum, *4100-2104*
Subassembly, 1 Bay Plastic Door (Glass) & Dress Panel <U+00BF> Red, *4100-2124*
Subassembly, 1 Bay Plastic Door (Solid) & Dress Panel <U+00BF> Red, *4100-2134*
Subassembly, 2 Bay Back Box - Platinum, *2975-9439*
Subassembly, 2 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF> Red, *2975-9442*
Subassembly, 2 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF>Platinum, *2975-9445*
Subassembly, 2 Bay Back Box, Plastic Door (Solid) & Dress Panels<U+00BF> Red, *2975-9448*
Subassembly, 2 Bay Plastic Door (Glass) & Dress Panel <U+00BF> Platinum, *4100-2105*
Subassembly, 2 Bay Plastic Door (Glass) & Dress Panel <U+00BF> Red, *4100-2125*
Subassembly, 2 Bay Plastic Door (Solid) & Dress Panel <U+00BF> Red, *4100-2135*
Subassembly, 3 Bay Back Box <U+00BF> Platinum, *2975-9440*
Subassembly, 3 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF> Red, *2975-9443*
Subassembly, 3 Bay Back Box, Plastic Door (Glass) & Dress Panel <U+00BF>Platinum, *2975-9446 and 2975-9457*
Subassembly, 3 Bay Back Box, Plastic Door (Solid) & Dress Panels<U+00BF> Red, *2975-9449*
Subassembly, 3 Bay Plastic Door (Glass) & Dress Panel <U+00BF> Platinum, *4100-2106*
Subassembly, 3 Bay Plastic Door (Glass) & Dress Panel <U+00BF> Red, *4100-2126*
Subassembly, 3 Bay Plastic Door (Solid) & Dress Panel <U+00BF> Red, *4100-2136*
Subassembly, Alarm Relay Card, Model, *4100-6033*
Subassembly, Audio Controller, *4100-1210 and 4100-1311*
Subassembly, Audio Input Option, *4100-1240*
Subassembly, Audio Master Controllers, *4100-9620 and 4100-9621*

Subassembly, Audio Operator Interface, *4100-1252, 4100-1253, 4100-1254, 4100-1255*
Subassembly, Audio Riser Modules, *4100-0621, 4100-0622, 4100-1341*
Subassembly, Auxiliary Relay Module, *4100-3204, 4100-3206*
Subassembly, Battery Distribution Termination Module, *4100-5128*
Subassembly, Building Network Interface Card (BNIC), *4100-6047*
Subassembly, Class A Adapter, *4009-9808*
Subassembly, Class A Adapter, *4100-1246, 4100-1249, 4100-1267*
Subassembly, Constant Supervision NAC modules, *4100-1259, 4100-1268, 4100-1260*
Subassembly, Dual RS232 Module, *4010-9918*
Subassembly, Ethernet Module, *4100-6069 BACpac*
Subassembly, Ethernet Module, *4100-6110 BACpac*
Subassembly, Ethernet Module, *4100-6111 BACpac*
Subassembly, Expansion NAC, *4100-1245, 4100-1248, 4100-1266*
Subassembly, Expansion Signal Card, *4100-5116*
Subassembly, Fiber Modem Audio Expansion Board, *4100-9842*
Subassembly, Fiber Optic Modem, *4190-9021, 4190-9022, 4190-9023, 4190-9024, 4190-9025 4190-9026*
Subassembly, Flex Amplifiers, *4100-1312, 4100-1313, 4100-1314, 4100-1315, 4100-1316, 4100-1317, 4100-1318, 4100-1319, 4100-1320, 4100-1321, 4100-1324, 4100-1325*
Subassembly, Flex Amplifiers, *4100-1326, 4100-1327, 4100-1328, 4100-1329, 4100-1330, 4100-1331, 4100-1332, 4100-1333, 4100-1334, 4100-1335*
Subassembly, Flex Amplifiers, *4100-1336, 4100-1337, 4100-1338, 4100-1339 and 4100-1361, 4100-1362, 4100-1363, 4100-1364*
Subassembly, Four NAC Option Card, *4009-9807*
Subassembly, FUI Enhancements, *4100-0640, 4100-7157*
Subassembly, LED/Switch Modules, *4100-1275, 4100-1276, 4100-1277, 4100-1278, 4100-1279, 4100-1280, 4100-1281, 4100-1282, 4100-1283, 4100-1284, 4100-1285*
Subassembly, LED/Switch Modules, *4100-1286, 4100-1287, 4100-1288, 4100-1289, 4100-1295, 4100-1296, 4100-1299, 4100-1300, 4100-1301, 4100-1302*
Subassembly, Master Clock Interface, *4100-9816*
Subassembly, Message Expansion, *4100-1241 and 4100-1242*
Subassembly, Microphone, *4100-1243*
Subassembly, Microphone Mux Module, *4100-1274*
Subassembly, Models master controller replacements, *4100-7150, 4100-7158, 4100-7152, 4100-7154, 4100-7156, 4100-9833*
Subassembly, Multimode Right Port Fiber Optic Modem, *4100-6075*
Subassembly, MX Loop Card, *4010-9917*
Subassembly, MX Loop Interface Card, *4100-6077*
Subassembly, Network Interface Module, *4010-9922*
Subassembly, Phone Card, *4100-1272*
Subassembly, Phone Class A Adapter, *4100-1273*
Subassembly, Power Distribution Modules, *4100-0634 and 4100-0635*
Subassembly, Power Supplies, *4100-5101, 4100-5102, 4100-5103, 4100-5311, 4100-5313, 4100-5325, 4100-5327, 4100-5111, 4100-5112, 4100-5113, 4100-5115, 4100-5125, 4100-5126, -5127*
Subassembly, Remote Service Gateway, *4190-6104*
Subassembly, Remote Service Gateway, *4190-6105*
Subassembly, Remote Service Gateway, *4190-6106*
Subassembly, Riser Modules, *4100-0621 and 4100-0622*
Subassembly, RS-232 Dual Interface Module, *4100-6038*
Subassembly, Tamper Switch, *4100-0633, 4100-6034*
Subassembly, Transponder Interface Card (TIC), *4100-0620, 4100-0623, and 4100-0625*
Subassembly, Transponder Interface Card (TIC)I, *4009-9813*
Subassembly, True Alert Power Supply, *4100-5120, 4100-5121, 4100-5122 and 4100-5124*

Supervised IAMs, *CN-4090-9001*
Supervised individual addressable modules (IAM), 28 V dc, 2.2 mA, *4090-9001TSP*
Suppression Releasing Peripheral, *4090-9005*
Temporal Code 4 Modules, *4905-9835, input regulated 24 VDC, Signal NAC input 180 uA standby and 15 mA alarm, Signal NAC output 3 A max, Control NAC input 3 mA max*
TRueAlert Adapter Module, *4905-9816*
Two point I/O modules, *2190 9173*
Voice control panels, *4003-9001*
Voice control panels, *4003-9002*
Voice control panels, *4003-9101*
Voice control panels, *4003-9102*
Wired Media Card, *4190-6036*

Last Updated on 2026-03-25

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."