Signaling Appliances and Equipment for the Hearing Impaired

COMPANY
Simplex Time Recorder Co
6 TECHNOLOGY PARK DR
WESTFORD, MA 01886 United States

S5494

Adapter plates "True Alert ES" Model(s) *49VO-APCS*

Adapter plates Model(s) *59AP-EUROBB (h)(i)*

Addressable, for ceiling mount and indoor use only "True Alert" Model(s) *4903-9196, 4903-9197, 4903-9198, 4903-9362, 4903-9363, 4903-9364, 4906-9154, 4906-9255, 4906-9256*

Addressable, for ceiling mount use "True Alert" Model(s) *4903-9155, 4903-9157, 4903-9161, 4903-9163, 4903-9165, 4903-9313, 4903-9315, 4903-9317, 4903-9319, 4903-9321, 4903-9323*

Addressable, for indoor use only "True Alert" Model(s) *4903-9151, 4903-9153, 4903-9356 thru 4903-9361*

Backboxes, Ceiling Surface Mount "True Alert ES" Model(s) *49WPBB-SVCR, 49WPBB-SVCW, 49WPBB-VOCR, 49WPBB-VOCW*

Backboxes, Wall Surface Mount "True Alert ES" Model(s) *49WPBB-SVWR, 49WPBB-SVWW*

Backplates Model(s) *49MP-AVVOWR (a)(b)(c), 49MP-AVVOWW (a)(b)(c)*

Backplates, non-addressable "True Alert ES" Model(s) *49CMP-MTWR (d), 49CMP-MTWW (d)*

Chimes/strobes, 15, 30, 75 or 110cd, for indoor use, for ceiling mounting only Model(s) *4906-9135 (o), 4906-9136 (o)*

Chimes/strobes, 15, 30, 75 or 110cd, for indoor use, for wall mounting only Model(s) *4906-9133 (o), 4906-9134 (o)*

Complete horns/strobes, addressable, 15 or 75cd "True Alert IDNAC " Model(s) *49AV-WRFO, 49AV-WRFO-BA, 49AV-WWFO-BA*

Complete horns/strobes, addressable, 15, 30, 75, 110, 135 or 185cd, for indoor use, wall mounting only "True Alert ES" Model(s) *49AV-WRF, 49AV-WRF-BA, 49AV-WRQ, 49AV-WRQ-BA, 49AV-WRS, 49AV-WRS-BA, 49AV-WWF, 49AV-WWF-BA, 49AV-WWS-BA, 49MTV-WRF, 49MTV-WRF-BA, 49MTV-WRQ-BA, 49MTV-WWF, 49MTV-WWF-BA, 49MTV-WWS-BA*

Complete horns/strobes, non-addressable, 15, 30, 75, 110, 135 or 185cd, for indoor use, wall mounting only "True Alert ES" Model(s) *49CMTV-WRF, 49CMTV-WRF-BA, 49CMTV-WWF, 49CMTV-WWF-BA*

Complete indoor speakers/strobes, addressable, for use on ceiling "True Alert ES" Model(s) *49HFV-CWF, 49HFVH-CWS, 49SV-CWF, 49SVH-CWF*

Complete indoor speakers/strobes, addressable, for use on wall "True Alert ES" Model(s) *49HFV-WRF, 49SV-WRF*

Complete strobes, addressable, 15 or 75cd "True Alert IDNAC " Model(s) *49VO-WRFO, 49VO-WRFO-BA, 49VO-WRSO, 49VO-WRSO-BA, 49VO-WWFO-BA*

Complete strobes, addressable, 15, 30, 75, 110, 135 or 185cd, for indoor use, wall mounting only "True Alert ES" Model(s) *49VO-WRA, 49VO-WRA-BA, 49VO-WRF, 49VO-WRF-BA, 49VO-WRQ, 49VO-WRQ-BA, 49VO-WRS, 49VO-WRS-BA, 49VO-WWA, 49VO-WWA-BA, 49VO-WWF, 49VO-WWF-BA, 49VO-WWQ, 49VO-WWS, 49VO-WWS-BA*

High candela indoor horns/strobes Model(s) *59AV-WRFABH, 59AV-WRFABH-BA, 59AV-WRFH, 59AV-WRFH-BA, 59AV-WWFABH-BA, 59AV-WWFH-BA*

High candela indoor horns/strobes w/o cover Model(s) *59AV-APPLWRH, 59AV-APPLWWH*

High candela indoor strobes Model(s) *59VO-WRFABH-BA, 59VO-WRFH-BA, 59VO-WWFABH-BA, 59VO-WWFH-BA*

High candela indoor strobes w/o cover Model(s) *59VO-APPLWRH, 59VO-APPLWWH*

High candela weatherproof horns/strobes w/o cover Model(s) *59AV-APPLWRH-O, 59AV-APPLWWH-O*

High candela weatherproof strobes w/o cover Model(s) *59VO-APPLWRH-O, 59VO-APPLWWH-O*

Horn/strobe covers Model(s) *49AVC-CRALT, 49AVC-CRFIRE, 49AVC-CRS, 49AVC-CRBAA, 49AVC-CWBAA, 49AVC-CWFIRE, 49AVC-CRFEU, 49AVC-CK, 49AVC-CRBF, 49AVC-CWALT, 49AVC-CWBAF, 49AVC-CRBAF, 49AVC-CWS, 49AVC-CWBF, 49AVC-CWFEU, 49AVC-CWCALT, 49AVC-CRFBL, 49AVC-WRFBL*

Horn/strobe covers Model(s) *49AVC-WRALT (a)(c), 49AVC-WRALT-O, 49AVC-WRBLNG (a)(c), 49AVC-WRBLNG-O, 49AVC-WRFEU (a)(c), 49AVC-WRFEU-O, 49AVC-WRFIRE (a)(c), 49AVC-WRFIRE-O, 49AVC-WRS (a)(c), 49AVC-WRS-O, 49AVC-WWALT (a)(c), 49AVC-WWALT-O, 49AVC-WWBLNG (a)(c), 49AVC-WWBLNG-O, 49AVC-WWC (a)(c), 49AVC-WWFEU (a)(c), 49AVC-WWFEU-O, 49AVC-WWFIRE (a)(c), 49AVC-WWFIRE-O, 49AVC-WWS (a)(c), 49AVC-WWS-O*

Horn/strobe covers, non-addressable "True Alert ES" Model(s) *49CMTVC-WRALT (d), 49CMTVC-WRBLNG (d), 49CMTVC-WRF (d), 49CMTVC-WRFEU (d), 49CMTVC-WRS (d), 49CMTVC-WWALT (d), 49CMTVC-WWBLNG (d), 49CMTVC-WWF (d), 49CMTVC-WWFEU (d), 49CMTVC-WWS (d)*

Horn/Strobes, non-addressable (synchronizable), 1Hz, 15, 60, 75cd or WP75, wall-mounting only Model(s) *4906-6131+ (Red Housing), Candela settings of 15, 60 and 75 are intended for indoor use only. The WP75 setting is not approved for use as a Signaling Appliance for the Hearing Impaired.*

Horns/strobes for the hearing impaired, use only with compatible addressable control unit Model(s) *4903-9450, 4903-9451, 4903-9452, 4903-9453, 4903-9454, 4903-9455, 4903-9459, 4903-9460, 4903-9461*

Horns/strobes, non-addressabe (synchronizable), 1Hz, 15, 30, 75 or 110cd, for indoor use, for wall mounting only Model(s) *4906-9137 (o), 4906-9138 (o)*

Indoor horn covers Model(s) *59AOC-WRF, 59AOC-WRFAB, 59AOC-WRFQB, 59AOC-WRS, 59AOC-WWF, 59AOC-WWFAB, 59AOC-WWFQB, 59AOC-WWS*

Indoor horn/strobe covers Model(s) *59AVC-WRA (g), 59AVC-WRAAB (g), 59AVC-WRF (g), 59AVC-WRFAB (g), 59AVC-WRS (g), 59AVC-WWA (g), 59AVC-WWAAB (g), 59AVC-WWF (g), 59AVC-WWFAB (g), 59AVC-WWS (g)*

Indoor horns Model(s) *59AO-WRS, 59AO-WRS-BA, 59AO-WWS, 59AO-WWS-BA*

Indoor horns w/o cover Model(s) *59AO-APPLWR, 59AO-APPLWW*

Indoor speaker/strobe covers Model(s) *49SVC-CK (k), 49SVC-CRALT (k), 49SVC-CRBA (k), 49SVC-CRBC (k), 49SVC-CRBF (k), 49SVC-CRFEU (k), 49SVC-CRFBL, 49SVC-CRFIRE (k), 49SVC-CRS (k), 49SVC-CWALT (k), 49SVC-CWBA (k), 49SVC-CWBC (k), 49SVC-CWBF (k), 49SVC-CWFEU (k), 49SVC-CWFIRE (k), 49SVC-CWS (k), 49SVC-WRALT (l), 49SVC-WRBA (l), 49SVC-WRBC (l), 49SVC-WRBF (l), 49SVC-WRFEU (l), 49SVC-WRFBL, 49SVC-WRFIRE (l), 49SVC-WRS (l), 49SVC-WWALT (l), 49SVC-WWBA (l), 49SVC-WWBC (l), 49SVC-WWBF (l), 49SVC-WWFEU (l), 49SVC-WWFIRE (l), 49SVC-WWS (l)*

Indoor speakers/strobes, addressaable, for use on ceiling "True Alert ES" Model(s) *49HFV-APPLC, 49HFV-APPLC-BA, 49HFVH-APPLC-BA, 49SV-APPLC, 49SV-APPLC-BA, 49SVH-APPLC, 49SVH-APPLC-BA*

Indoor speakers/strobes, addressaable, for use on wall "True Alert ES" Model(s) *49HFV-APPLW, 49HFV-APPLW-BA, 49SV-APPLW, 49SV-APPLW-BA*

Indoor speakers/strobes, addressable, for use on ceiling "True Alert ES" Model(s) *49HFVH-APPLC*

Indoor strobe covers Model(s) *59VOC-WRA (h), 59VOC-WRAAB (h), 59VOC-WRF (h), 59VOC-WRFAB (h), 59VOC-WRS (h), 59VOC-WWA (h), 59VOC-WWAAB (h), 59VOC-WWF (h), 59VOC-WWFAB (h), 59VOC-WWS (h)*

Indoor/Outdoor Speaker/Strobes "True Alert ES Addressable" Model(s) *49SV-APPLW-0, 49SV-APPLW-O-BA*

Indoor/Outdoor Speaker/Strobes Covers "True Alert ES Addressable" Model(s) *49SVC-WRFEU-O, 49SVC-WRFIRE-O, 49SVC-WRS-O, 49SVC-WWALT-O*

Indoor/outdoor strobe covers "True Alert ES Addressable" Model(s) *49VOC-CK, 49VOC-CRALT, 49VOC-CRBAA, 49VOC-CRBAF, 49VOC-CRBCF, 49VOC-CRBF, 49VOC-CRF, 49VOC-CRFEU, 49VOC-CRS, 49VOC-CWALT, 49VOC-CWBAA, 49VOC-CWBAF, 49VOC-CWBCF, 49VOC-CWBF, 49VOC-CWF, 49VOC-CWFEU, 49VOC-CWS*

Low candela indoor horns/strobes Model(s) *59AV-WRF, 59AV-WRF-BA, 59AV-WRFAB, 59AV-WRFAB-BA, 59AV-WWF, 59AV-WWF-BA, 59AV-WWFAB, 59AV-WWFAB-BA*

Low candela indoor horns/strobes w/o cover Model(s) *59AV-APPLWR, 59AV-APPLWW*

Low candela indoor strobes Model(s) *59VO-WRF, 59VO-WRF-BA, 59VO-WRFAB, 59VO-WRFAB-BA, 59VO-WWF, 59VO-WWF-BA, 59VO-WWFAB, 59VO-WWFAB-BA*

Low candela indoor strobes w/o cover Model(s) *59VO-APPLWR, 59VO-APPLWW*

Low candela weatherproof horns/strobes Model(s) *59AV-WRFABO, 59AV-WRFABO-BA, 59AV-WRFO, 59AV-WRFO-BA, 59AV-WWFABO-BA, 59AV-WWFO-BA*

Low candela weatherproof horns/strobes w/o cover Model(s) *59AV-APPLWR-O, 59AV-APPLWW-O*

Low candela weatherproof strobes Model(s) *59VO-WRFABO, 59VO-WRFABO-BA, 59VO-WRFO, 59VO-WRFO-BA, 59VO-WWFABO-BA, 59VO-WWFO-BA*

Low candela weatherproof strobes w/o cover Model(s) *59VO-APPLWR-O, 59VO-APPLWW-O*

Main body only horns/strobes, addressable "True Alert ES" Model(s) *49AV-APPLC (n), 49AV-APPLC-BA (n), 49AV-APPLW (a), 49AV-APPLW-BA (a), 49AVH-APPLC (n), 49AVH-APPLC-BA (n), 49MTV-APPLW (c), 49MTV-APPLW-BA (c)*

Main body only horns/strobes, addressable "True Alert ES Addressable" Model(s) *49AVH-APPLC-O, 49AVH-APPLC-O-BA*

Main body only horns/strobes, addressable, 15 or 75cd "True Alert IDNAC " Model(s) *49AV-APPLW-O, 49AV-APPLW-O-BA*

Main body only horns/strobes, non-addressable "True Alert ES" Model(s) *49CMTV-APPLW (d), 49CMTV-APPLW-BA (d)*

Main body only strobes, addressable "True Alert ES" Model(s) *49VO-APPLC (m), 49VO-APPLC-BA (m), 49VO-APPLW (b), 49VO-APPLW-BA (b), 49VOH-APPLC (m), 49VOH-APPLC-BA (m)*

Main body only strobes, addressable "True Alert ES Addressable" Model(s) *49VOH-APPLC-O, 49VOH-APPLC-O-BA*

Main body only strobes, addressable, 15 or 75cd "True Alert IDNAC " Model(s) *49VO-APPLW-O, 49VO-APPLW-O-BA*

Speaker/strobe covers, for indoor/outdoor use, ceiling mount "True Alert ES" Model(s) *49SVC-CRALT-O, 49SVC-CRFIRE-O, 49SVC-CRS-O, 49SVC-CRBC-O, 49SVC-CWBC-O, 49SVC-CWFIRE-O, 49SVC-CRFEU-O, 49SVC-CRBF-O, 49SVC-CWALT-O, 49SVC-CWBA-O, 49SVC-CRBA-O, 49SVC-CWS-O, 49SVC-CWBF-O, 49SVC-CWFEU-O, 49SVC-CK-O, 49SVC-CRF-O, 49SVC-CWF-O, 49SVC-CRBAF-O, 49SVC-CWBAF-O, 49SVC-CRBAA-O*

Speaker/strobe covers, for indoor/outdoor use, wall mount "True Alert ES" Model(s) *49SVC-WRFEU-O, 49SVC-WRFIRE-O, 49SVC-WRS-O, 49SVC-WWALT-O, 49SVC-WWBA-O, 49SVC-WWS-O, 49SVC-WWFIRE-O, 49SVC-WRBF-O, 49SVC-WRBC-O, 49SVC-WRBA-O, 49SVC-WRALT-O, 49SVC-WWBC-O, 49SVC-WWBF-O, 49SVC-WWFEU-O*

Speaker/strobes, for indoor/outdoor use, ceiling mount "True Alert ES" Model(s) *49SVH-APPLC-O, 49SVH-APPLC-O-BA*

Speaker/strobes, for indoor/outdoor use, wall mount "True Alert ES" Model(s) *49SV-APPLW-O, 49SV-APPLW-O-BA*

Strobe covers Model(s) *49VOC-CRALT, 49VOC-CRBF, 49VOC-CRFEU, 49VOC-CRF, 49VOC-CRS, 49VOC-CWALT, 49VOC-CWBF, 49VOC-CWFEU, 49VOC-CWF, 49VOC-CWS, 49VOC-CK, 49VOC-CRBAF, 49VOC-CRBCF, 49VOC-CWBAF, 49VOC-CWBCF, 49VOC-CRBAA, 49VOC-CWBAA, 49VOC-CRFBL*

Strobe covers Model(s) *49VOC-WRALT (b), 49VOC-WRALT-O, 49VOC-WRBLNG (b), 49VOC-WRBLNG-O, 49VOC-WRFEU (b), 49VOC-WRFEU-O, 49VOC-WRFIRE (b), 49VOC-WRFIRE-O, 49VOC-WRS (b), 49VOC-WRS-O, 49VOC-WWALT (b), 49VOC-WWALT-O, 49VOC-WWBLNG (b), 49VOC-WWBLNG-O, 49VOC-WWC (b), 49VOC-WWFEU (b), 49VOC-WWFEU-O, 49VOC-WWFIRE (b), 49VOC-WWFIRE-O, 49VOC-WWS (b), 49VOC-WWS-O*

Strobe horns for hearing impaired, non-syncronized, for indoor use only Model(s) *4903-9215, 4903-9215H, 4903-9217, 4903-9217H, 4903-9218, 4903-9218H, 4903-9219, 4903-9219H, 4903-9220, 4903-9220H, 4903-9221, 4903-9221H, 4903-9222, 4903-9222H, 4903-9223, 4903-9223H, 4903-9236, 4903-9236H, 4903-9237, 4903-9237H, 4903-9238, 4903-9238H, 4903-9239, 4903-9239H, 4903-9240, 4903-9240H, 4903-9241, 4903-9241H, 4903-9242, 4903-9242H, 4903-9252H, 4903-9253H, 4903-9254H, 4903-9255H, 4903-9256H, 4903-9257H, 4903-9258H, 4903-9433H, 4903-9252, 4903-9253, 4903-9254, 4903-9255, 4903-9256, 4903-9257, 4903-9258, 4903-9401, 4903-9401H, 4903-9402, 4903-9402H, 4903-9403, 4903-9403H, 4903-9405, 4903-9405H, 4903-9406, 4903-9406H, 4903-9413, 4903-9413H, 4903-9414, 4903-9414H, 4903-9415, 4903-9415H, 4903-9417, 4903-9417H, 4903-9418, 4903-9418H, 4903-9419, 4903-9419H, 4903-9422, 4903-9422H, 4903-9423, 4903-9423H, 4903-9424, 4903-9424H, 4903-9425, 4903-9425H, 4903-9426, 4903-9426H, 4903-9427, 4903-9427H, 4903-9428, 4903-9428H, 4903-9429, 4903-9429H, 4903-9430, 4903-9430H, 4903-9431, 4903-9431H, 4903-9432, 4903-9432H, 4903-9433*

Strobe lights, 1 Hz, 15cd Model(s) *4904-9138, 4904-9140*

Strobe lights, 1 Hz, accessories combo skirt "TrueAlert " Model(s) *4905-9837 (Red) and 4905-9847 (White), used to install TrueAlert wall mount Clear/Amber Combo Models 4906-9208 (Red) and 4906-9211 (White).*

Strobe lights, addressable (synchronizable), 1Hz, 15, 30, 75 or 110cd, for ceiling mounting only "True Alert" Model(s) *4906-9202 (p)*

Strobe lights, addressable (synchronizable), 1Hz, 15, 30, 75 or 110cd, for wall mounting only "True Alert" Model(s) *4906-9201 (p), 4906-9203 (p), 4906-9204 (p), 4906-9212 (p)*

Strobe lights, addressable combination clear/amber (synchronizable), 1Hz, 15, 30, 75 or 110cd, for indoor use, wall-mounting only "True Alert" Model(s) *4906-9208 (red), available in Amber and Clear lens only.*

Strobe lights, addressable combination clear/amber (synchronizable), 1Hz, 15, 30, 75 or 110cd, for indoor use, wall-mounting only "True Alert" Model(s) *4906-9211 (white), available in Amber and Clear lens only.*

Strobe lights, non-addressable (non-synchronizable), 1Hz, 110cd, for wall mounting only "True Alert" Model(s) *4904-9170, 4904-9173*

Strobe lights, non-addressable (non-synchronizable), 1Hz, 15cd, for wall mounting only "True Alert" Model(s) *4904-9168, 4904-9171*

Strobe lights, non-addressable (non-synchronizable), 1Hz, 75cd, for wall mounting only "True Alert" Model(s) *4904-9169, 4904-9172*

Strobe lights, non-addressable (synchronizable), 1Hz, 110cd, for indoor use, wall mount only, with 4905-9938 Sync control module "True Alert" Model(s) *4904-9344*

Strobe lights, non-addressable (synchronizable), 1Hz, 135, 177 or 185cd, for indoor use, ceiling mounting only Model(s) *4906-9110 (red housing), 4906-9112 (white housing)*

Strobe lights, non-addressable (synchronizable), 1Hz, 135, 177 or 185cd, for indoor use, wall mounting only Model(s) *4906-9109 (red housing), 4906-9111 (white housing)*

Strobe lights, non-addressable (synchronizable), 1Hz, 15, 30, 75 or 110cd, for indoor use, ceiling mounting only Model(s) *4906-6102 (red housing), 4906-9102 (red housing), 4906-9104 (white housing), 4906-9114, 4906-9116 (red housing), 4906-9115, 4906-9117 (white housing)*

Strobe lights, non-addressable (synchronizable), 1Hz, 15, 30, 75 or 110cd, for indoor use, wall mounting only Model(s) *4906-6101 (red housing), 4906-9101 (red housing), 4906-9103 (white housing)*

Strobe lights, non-addressable (synchronizable), 1Hz, 75cd, for indoor use, wall mount only, with 4905-9938 Sync control module "True Alert" Model(s) *4904-9343*

Sync control modules Model(s) *4905-9938*

Synchronous modules, for use with 1 Hz sync strobe lights Model(s) *4905-9914, 4905-9922*

Weatherproof backbox Model(s) *49WPBB-AVVOWR, 49WPBB-AVVOWW*

Weatherproof horn covers Model(s) *59AOC-WRFABO (j), 59AOC-WRFO (j), 59AOC-WRFQBO (j), 59AOC-WRSO (j), 59AOC-WWFABO (j), 59AOC-WWFO (j), 59AOC-WWFQBO (j), 59AOC-WWSO (j)*

Weatherproof horn/strobe covers Model(s) *59AVC-WRAABO (e), 59AVC-WRAO (e), 59AVC-WRFABO (e), 59AVC-WRFO (e), 59AVC-WRSO (e), 59AVC-WWAABO (e), 59AVC-WWAO (e), 59AVC-WWFABO (e), 59AVC-WWFO (e), 59AVC-WWSO (e)*

Weatherproof horns Model(s) *59AO-WRSO, 59AO-WRSO-BA, 59AO-WWSO-BA*

Weatherproof horns w/o cover Model(s) *59AO-APPLWR-O, 59AO-APPLWW-O*

Weatherproof strobe covers Model(s) *59VOC-WRAABO (f), 59VOC-WRAO (f), 59VOC-WRFABO (f), 59VOC-WRFO (f), 59VOC-WRSO (f), 59VOC-WWAABO (f), 59VOC-WWAO (f), 59VOC-WWFABO (f), 59VOC-WWFO (f), 59VOC-WWSO (f)*

(a) - For use with models 49AV-WRF, 49AV-WRF-BA, 49AV-WRS, 49AV-WRS-BA, 49AV-WRQ, 49AV-WRQ-BA, 49AV-WWF, 49AV-WWF-BA or 49AV-WWS-BA.

(b) - For use with models 49VO-WRF, 49VO-WRF-BA, 49VO-WRS, 49VO-WRS-BA, 49VO-WRQ, 49VO-WRQ-BA, 49VO-WRA, 49VO-WRA-BA, 49VO-WWF, 49VO-WWF-BA, 49VO-WWS, 49VO-WWS-BA, 49VO-WWA, 49VO-WWA-BA or 49VO-WWQ.

(c) - For use with models 49MTV-WRF-BA, 49MTV-WRS-BA, 49MTV-WWF-BA, 49MTV-WWS-BA, 49MTV-WRQ-BA, 49MTV-WRF or 49MTV-WWF.

(d) - For use with models 49CMTV-WRF, 49CMTV-WRF-BA, 49CMTV-WWF or 49CMTV-WWF-BA.

(e) - For use with models 59AV-WRFO, 59AV-WRFO-BA, 59AV-WWFO-BA, 59AV-WRFABO, 59AV-WRFABO-BA or 59AV-WWFABO-BA.

(f) - For use with models 59VO-WRFO, 59VO-WRFO-BA, 59VO-WWFO-BA, 59VO-WRFABO, 59VO-WRFABO-BA or 59VO-WWFABO-BA.

(g) - For use with models 59AV-WRF, 59AV-WRF-BA, 59AV-WWF, 59AV-WWF-BA, 59AV-WRFAB, 59AV-WRFAB-BA, 59AV-WWFAB, 59AV-WWFAB-BA, 59AV-WRFH, 59AV-WRFH-BA, 59AV-WWFH-BA, 59AV-WRFABH, 59AV-WRFABH-BA or 59AV-WWFABH-BA.

(h) - For use with models 59VO-WRF, 59VO-WRF-BA, 59VO-WWF, 59VO-WWF-BA, 59VO-WRFAB, 59VO-WRFAB-BA, 59VO-WWFAB, 59VO-WWFAB-BA, 59AV-WRF, 59AV-WRF-BA, 59AV-WWF, 59AV-WWF-BA, 59AV-WRFAB, 59AV-WRFAB-BA, 59AV-WWFAB, 59AV-WWFAB-BA, 59AV-WRFH, 59AV-WRFH-BA, 59AV-WWFH-BA, 59AV-WRFABH, 59AV-WRFABH-BA, 59AV-WWFABH-BA, 59VO-WRFH-BA, 59VO-WWFH-BA, 59VO-WRFABH-BA or 59VO-WWFABH-BA.

(i) - For use with models 59AO-APPLWR, 59AO-APPLWW, 59AO-WRS, 59AO-WRS-BA, 59AO-WWS or 59AO-WWS-BA.

(j) - For use with models 59AO-WRSO, 59AO-WRSO-BA or 59AO-WWSO-BA.

(k) - For use with models 49SV-APPLC, 49HFV-APPLC, 49SV-APPLC-BA, 49HFV-APPLC-BA, 49SVH-APPLC-BA, 49HFVH-APPLC-BA, 49SVH-APPLC or 49HFVH-APPLC.

(l) - For use with models 49SV-APPLW, 49HFV-APPLW, 49SV-APPLW-BA or 49HFV-APPLW-BA.

(m) - For use with models 49VOC-CRALT, 49VOC-CRBF, 49VOC-CRFEU, 49VOC-CRF, 49VOC-CRS, 49VOC-CWALT, 49VOC-CWBF, 49VOC-CWFEU, 49VOC-CWF, 49VOC-CWS, 49VOC-CK, 49VOC-CRBAF, 49VOC-CRBCF, 49VOC-CWBAF, 49VOC-CWBCF, 49VOC-CRBAA or 49VOC-CWBAA.

(n) - For use with models 49AVC-CRALT, 49AVC-CRFIRE, 49AVC-CRS, 49AVC-CRBAA, 49AVC-CWBAA, 49AVC-CWFIRE, 49AVC-CRFEU, 49AVC-CK, 49AVC-CRBF, 49AVC-CWALT, 49AVC-CWBAF, 49AVC-CRBAF, 49AVC-CWS, 49AVC-CWBF, 49AVC-CWFEU or 49AVC-CWCALT.

(o) - Use with either 4009-9201, 4009-9301 IDNet NAC Extender or with 4905-9938 SmartSync Control Module (SCM) or with 4100U and 4010 Fire Alarm Control Panel (FACPs).

(p) - For use with either Model 4009-9401 NAC Extender or with the TrueAlert Power Supply of Model 4100U FACP.

+ - For connection to Listed control units or sync modules with which compatibility was determined by test or a review of circuit parameters. Interconnection and compatible models indicated on installation wiring diagram for signaling appliance, control unit, and/or sync module.

Last Updated on 2025-12-09

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2026 UL LLC."